Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	858	(710/8.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:55
L12	122	(710/25.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L13	305	(710/29.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L14	240	(710/35.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L15	82	(710/51.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L16	248	(710/60.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L17	195	(710/106.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L18	377	(710/110.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L19	425	(710/113.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56

L20	1956	(365/233.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L21	923	(365/194.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:56
L22	387	(709/208.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:57
S1	112	((decode adj address) with ((device chip) adj select adj signal) same select) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 07:47
S2	0	((decode adj address) with ((device chip) adj select adj signal) same inhibit) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 08:35
S3	38	(inhibit with ((device chip) adj select adj signal)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:39
S4	11	("inhibit signal" same ((device chip) adj select adj signal)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:07
S5	3	(inhibit adj ((device chip) adj select)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:08
S6	42	((burst-request "burst request") adj signal) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:44
S7	92	("bus request" with "bus grant" with cycle) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 11:15

S8	6	("bus request" with "bus grant" with cycle with command) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:54
S12	472	(((command control) adj bus) with grant) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 11:16
S13	233	(((command control) adj bus) with grant with request) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:14
S14	103	((arbiter arbitrator) with bridge with grant) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:57
S15	48	(multiplex$ with "bus grant") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:57
S16	35	((multiplex$ with write) same "bus grant") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 15:18
S17	28	((multiplex$ same "write signal") same "bus grant") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 15:39
S18	0	("lock signal" with ((halt stop) near2 arbitration)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 15:40
S19	1	("lock signal" same ((halt stop) near2 arbitration)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 16:00
S20	1	("lock signal" same ((halt stop) with arbitration)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 15:42

S21	119	("lock signal" with (halt stop)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 16:59
S22	811	(710/8.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:00
S23	118	(710/25.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:03
S24	301	(710/29.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:07
S25	232	(710/35.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:11
S26	81	(710/51.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:12
S27	242	(710/60.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:15
S28	189	(710/106.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:18
S29	364	(710/110.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:19
S30	422	(710/113.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:21

S31	876	(710/305.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:26
S32	1947	(365/233.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:27
S33	920	(365/194.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 17:28
S34	99	("5623645" "6115551" "5666321" "5751656" "5912860" "6111814" "6052745" "6321282" "6122692" "5913053" "5367645" "5319771" "5818777" "6442643" "5469547" "6088812" "6163819" "6145019" "5848264" "5910917" "5229770" "6215711" "6215711" "6243312" "6356507" "6418067" "5944808" "6173349" "5987578" "4825438" "5592685" "5455935" "5452261" "5903508" "5903911" "5954838" "6384646" "6430606" "5623638" "5903607" "5498976" "5367149" "5506995" "5859986" "6266731" "5897654" "5778196" "4803475" "5034917" "5852579").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 07:56
S35	432	("early timing") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:12
S36	1	("early timing" same master same slave) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:07
S37	20	("early timing" same command) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 08:58
S38	1481	(master same slave same wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 08:58

S39	84	(master same slave same "wait signal") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 06:34
S40	198	("GO bus") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 11:23
S41	11	"4853847".URPN.	USPAT	OR	ON	2004/09/23 13:00
S42	56	(master same slave same (wait with delay)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 07:34
S43	93	("master interface" same "slave interface" same control) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 07:33
S44	72	(("master interface" same "slave interface" same control) and (wait$ busy)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 07:33
S45	817	(master same slave same bridge) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 07:53
S46	72	(("master interface" same "slave interface" same control) and ($wait$ $busy$)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 07:35
S47	47	(master same slave same bridge same (wait busy)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 08:35
S48	0	("go_wait") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 08:07
S49	52	(bridge same (slave with (wait busy))) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 09:07

S50	731	("timing diagram" same wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 08:43
S51	143	("timing diagram" same wait with read) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 08:44
S52	284	("timing diagram" same wait same read) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 08:44
S53	165	("timing diagram" with wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 08:44
S54	69	("timing diagram" with wait not "wait state") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 07:28
S55	0	("slave wait" same "bus wait") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 09:07
S56	28	(bridge same ("wait signal")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 09:08
S57	422	("bus wait") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 07:28
S58	49	("bus wait" same slave) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 08:38
S59	2945	(master with slave with interface) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 10:25

S60	266	(master with slave with (interface adj (module unit))) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 09:03
S61	23	worrell-frank$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 08:57
S62	14	(master with slave with interface with wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 09:50
S63	65	("slave wait") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 10:11
S64	2	"5377325".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 10:11
S65	6	("master interface" same "slave interface" same wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 10:40
S66	99	(slave with ((hold delay) adj signal)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 10:54
S67	44	(slave with ((hold) adj signal)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 10:54
S68	585	(("split transaction" split-transaction)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:14
S69	91	(("split transaction" split-transaction) same master same slave) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:54

S70	25	(("split transaction" split-transaction) with wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:18
S71	600	(decode with address with ((device chip) adj select)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:55
S72	291	(decode with address with ((device chip) adj select adj signal)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:56
S73	112	((decode adj address) with ((device chip) adj select adj signal)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 07:45
S74	839	(710/8.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:37
S75	123	(710/25.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:13
S76	305	(710/29.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S77	236	(710/35.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S78	81	(710/51.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S79	250	(710/60.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14

S80	193	(710/106.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S81	369	(710/110.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S82	436	(710/113.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S83	915	(710/305.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:14
S84	1964	(365/233.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:25
S85	928	(365/194.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:20
S86	2	"5931941".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:20
S87	384	(709/208.ccls.) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:25
S88	339	(bus same interface same early) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:37
S89	206	(bus with interface same early) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:38

S90	72	(bus with interface same early with (command signal address)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:43
S91	431	worrell.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:44
S92	24	worrell-frank$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:44
S93	202	("go bus" "go_bus") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:08
S94	202	("go bus"! "go_bus"!) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:08
S95	202	(("go bus" "go_bus") not "go to the bus" "goes to the bus") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:08
S96	202	(("go bus" "go_bus") not ("go to the bus" "goes to the bus")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:20
S97	0	("go_s_read") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:20
S98	2	"6353867".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:42
S99	3	"6912611".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:43

S100	0	((master with wait) same (slave with wait) same amba) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:50
S101	27	((master with wait) same (slave with wait) and (amba arm)) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:02
S102	15	((master with wait) same (slave with wait) same conver$5) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:06
S103	57	((master with "wait signal") and (slave with "wait signal")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:36
S104	2	"5339395".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:18
S105	24	worrell-frank$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:31
S106	54	((bus with "wait signal") same (slave with "wait signal")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:56
S107	0	(("bus wait signal") same ("slave wait signal")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:38
S108	0	(("bus wait signal") and ("slave wait signal")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:38
S109	0	(("master wait signal") and ("slave wait signal")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:38

S11 0	0	(("bus wait") same ("slave wait")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:57
S11 1	3	(("bus wait") and ("slave wait")) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 11:00
S11 2	10	(slave with wait with conver$4) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 11:14
S11 3	15	cleary.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 11:13
S11 4	62	(710/311.ccls. and wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:54
S11 5	24	(ahb and wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:15
S11 6	12	(bwait with wait) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:35
S11 7	5	(asb with apb with bridge) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:44
S11 8	0	(bwait same hready) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 08:14
S11 9	116	("early address") and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:09

S120	178	((bridge with wait) not PCI) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 08:43
S121	13	(bridge same wait with conver$4) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 08:44
S122	0	("early address" and amba) and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:09